

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	26686	((router switch catalyst (device near2 forwarding) device routing) and ((configuration profile content composition layout config) same (current running saved) same (potential candidate test\$6 new possible propable developing unrealized) same (differen\$6)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L2	11047	L1 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L3	2178	((router switch catalyst (device near2 forwarding) device routing) and ((configuration profile content composition layout config) with (current running saved) with (potential candidate test\$6 new possible propable developing unrealized) with (differen \$6)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L4	821	L3 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L5	8758	((router switch catalyst (device near2 forwarding) device routing) same ((configuration profile content composition layout config) same (current running saved) same (potential candidate test\$6 new possible propable developing unrealized) same (differen\$6)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33

L6	548	((router switch catalyst (device near2 forwarding) device routing) same ((configuration profile content composition layout config) with (current running saved) with (potential candidate test\$6 new possible propable developing unrealized) with (differen \$6)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L7	207	L6 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L8	326	((router switch catalyst (device near2 forwarding) device routing) same ((configuration profile content composition layout config) with (current running saved) with (potential candidate test\$6 new possible propable developing unrealized) with (load\$5)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L9	115	L8 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L10	276	((router switch catalyst firewall (device near2 forwarding) device routing) same ((configuration profile content composition layout config) with (current running saved) with (potential candidate test\$6 new possible propable developing unrealized) with (compar \$5)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L11	96	L10 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L12	1	"6349306".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L13	0	((sample same (cisco with (config))))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33

L14	744	((cisco with (config\$5)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L15	289	L14 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L16	4	((example sample) same (cisco with (config\$5)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L17	0	L16 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L18	1055	((example sample) same ((cisco router switch catalyst) with (config\$5)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L19	603	((example sample) with ((cisco router switch catalyst) with (config\$5)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L20	166	L19 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L21	49	((example sample) with ((cisco router catalyst) with (config\$5)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L22	11	L21 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L23	1	((template example sample) with ((cisco router catalyst) with (config\$5 with running)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L24	104	((template example sample) with ((cisco router catalyst) with (config\$5)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L25	36	L24 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33

L26	2	((template example sample) with ((cisco router catalyst) with (CLI)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L27	0	L26 and (@ad<"20001201"@rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L28	5	((template example sample) with ((cisco router catalyst) with (statement)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L29	4	L28 and (@ad<"20001201"@rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L30	0	((template example sample) with ((cisco router firewall) with (statement)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L31	70	((template example sample) with ((cisco router firewall) with (config\$6)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L32	25	L31 and (@ad<"20001201"@rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L33	5	((template example sample) with ((cisco router firewall) with (ios)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L34	0	L33 and (@ad<"20001201"@rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L35	504	((template example sample) with ((ios)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L36	216	L35 and (@ad<"20001201"@rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L37	518	(cisco near2 ((ios)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33

L38	183	L37 and (@ad<"20001201" @rlad<"20001201")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L39	18	((cisco near2 (ios)) same (CLI))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L40	0	L39 and (@ad<"20001201" @rlad<"20001201")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L41	62	((cisco near2 (ios)) and (CLI))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L42	9	L41 and (@ad<"20001201" @rlad<"20001201")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L43	0	((((cisco near2 (ios)) same (permission))and (CLI))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L44	0	((((cisco near2 (ios)) same (permission)))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L45	34	((((cisco near2 (ios)) and (permission)))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L46	14	L45 and (@ad<"20001201" @rlad<"20001201")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L47	4	((((cisco near2 (ios)) and (permission same (username id))))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L48	3	L47 and (@ad<"20001201" @rlad<"20001201")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L49	394	((((config\$6) same (permission same (username id))))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33

L50	64	((config\$6) with (permission with (username id))))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L51	9	L50 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L52	88696	((config\$6) with (access permission login)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L53	1457	((config\$6) with (access permission login) with depend \$6))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L54	0	((config\$6) with (access permission login) with (depend\$6) with (username)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L55	1	((config\$6) with (access permission login) with (depend\$6)) same (username)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L56	433	((config\$6) with (access permission login) with (depend\$6)) same (user name)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L57	67	((config\$6) with (access permission login) with (depend\$6)) same (user name))) and (router)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L58	16	L57 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L59	51	((router near2 config\$6) with (access permission login) with (depend\$6 based))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L60	6	L59 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L61	170	((router near2 config\$6) same ((access permit\$6 permission) with (login (logged near21 in) username user\$6)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33

L62	31	L61 and (@ad<"20001201" @rlad<"20001201")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L63	172	((router near2 config\$6) same ((access permit\$6 permission) with (login (logged near21 in) username user\$6 admin\$6)))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L64	172	((router near2 config\$6) same ((access permit\$6 permission) with (login (logged near2 in) username user\$6 admin\$6)))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L65	31	L64 and (@ad<"20001201" @rlad<"20001201")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L66	169	((router near2 config\$6) same ((access permit\$6 permission) with (user)))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L67	31	L66 and (@ad<"20001201" @rlad<"20001201")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L68	21653	((config\$6) with ((access permit\$6 permission) with (user)))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L69	167	(router with (config\$6) with ((access permit\$6 permission) with (user)))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L70	51	L69 and (@ad<"20001201" @rlad<"20001201")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L71	3249	(router with ((access permit \$6 authenticat\$6 permission) with (user\$6)))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L72	183	(router with (configuration) with ((access permit\$6 authenticat\$6 permission) with (user\$6)))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L73	34	L72 and (@ad<"20001201" @rlad<"20001201")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33

L74	187	(router with (configuration) with ((access permit\$6 privilege\$6 authenticat\$6 permission) with (user\$6)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L75	34	L74 and (@ad<"20001201"@rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 06:33
L76	110791	"709"/("238" "242").ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 07:35
L77	34	75 and (11 22 25 29 32 42 46 48 51 58 60 62 65 67 70 73 75 9 20 38 7 36)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/24 07:37
S1	23899	((router switch catalyst (device near2 forwarding) device routing) and ((configuration profile content composition layout config) same (current running saved) same (potential candidate test\$6 new possible propable developing unrealized) same (differen\$6)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/12 17:24
S2	10790	S1 and (@ad<"20001201"@rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/12 17:25
S3	1929	((router switch catalyst (device near2 forwarding) device routing) and ((configuration profile content composition layout config) with (current running saved) with (potential candidate test\$6 new possible propable developing unrealized) with (differen \$6)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/12 17:26
S4	813	S3 and (@ad<"20001201"@rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/12 17:26

S5	7783	((router switch catalyst (device near2 forwarding) device routing) same ((configuration profile content composition layout config) same (current running saved) same (potential candidate test\$6 new possible propable developing unrealized) same (differen\$6)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/12 17:26
S6	473	((router switch catalyst (device near2 forwarding) device routing) same ((configuration profile content composition layout config) with (current running saved) with (potential candidate test\$6 new possible propable developing unrealized) with (differen \$6)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/12 17:27
S7	206	S6 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/12 17:27
S8	283	((router switch catalyst (device near2 forwarding) device routing) same ((configuration profile content composition layout config) with (current running saved) with (potential candidate test\$6 new possible propable developing unrealized) with (load\$5)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/12 17:36
S9	114	S8 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/12 17:36
S10	248	((router switch catalyst firewall (device near2 forwarding) device routing) same ((configuration profile content composition layout config) with (current running saved) with (potential candidate test\$6 new possible propable developing unrealized) with (compar \$5)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/12 17:39

S11	96	S10 and (@ad<"20001201" @rlad<"20001201")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/12 17:40
S12	1	"6349306".pn.	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 12:53
S13	0	((sample same (cisco with (config))))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 13:56
S14	646	((cisco with (config\$5)))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 13:57
S15	272	S14 and (@ad<"20001201" @rlad<"20001201")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 13:57
S16	4	((example sample) same (cisco with (config\$5)))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:00
S17	0	S16 and (@ad<"20001201" @rlad<"20001201")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:01
S18	932	((example sample) same ((cisco router switch catalyst) with (config\$5)))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:02
S19	522	((example sample) with ((cisco router switch catalyst) with (config\$5)))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:02
S20	162	S19 and (@ad<"20001201" @rlad<"20001201")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:03
S21	38	((example sample) with ((cisco router catalyst) with (config\$5)))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:04
S22	11	S21 and (@ad<"20001201" @rlad<"20001201")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:04

S23	0	((template example sample) with ((cisco router catalyst) with (config\$5 with running)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:06
S24	85	((template example sample) with ((cisco router catalyst) with (config\$5)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:06
S25	34	S24 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:06
S26	2	((template example sample) with ((cisco router catalyst) with (CLI)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:14
S27	0	S26 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:14
S28	5	((template example sample) with ((cisco router catalyst) with (statement)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:16
S29	4	S28 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:16
S30	0	((template example sample) with ((cisco router firewall) with (statement)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:16
S31	61	((template example sample) with ((cisco router firewall) with (config\$6)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:16
S32	24	S31 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:17
S33	3	((template example sample) with ((cisco router firewall) with (ios)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:20
S34	0	S33 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:20

S35	456	((template example sample) with ((ios)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:22
S36	212	S35 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:22
S37	456	(cisco near2 ((ios)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:26
S38	176	S37 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:26
S39	15	((cisco near2 (ios)) same (CLI))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:28
S40	0	S39 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:28
S41	53	((cisco near2 (ios)) and (CLI))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:30
S42	7	S41 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:30
S43	0	((cisco near2 (ios)) same (permission))and (CLI))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:00
S44	0	((cisco near2 (ios)) same (permission)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:01
S45	32	((cisco near2 (ios)) and (permission)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:01
S46	14	S45 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:01

S47	4	((cisco near2 (ios)) and (permission same (username id))))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:03
S48	3	S47 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:04
S49	318	((config\$6) same (permission same (username id))))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:06
S50	48	((config\$6) with (permission with (username id))))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:07
S51	9	S50 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:07
S52	76154	((config\$6) with (access permission login)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:14
S53	1262	((config\$6) with (access permission login) with depend \$6))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:14
S54	0	((config\$6) with (access permission login) with (depend\$6) with (username)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:14
S55	0	((config\$6) with (access permission login) with (depend\$6)) same (username)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:14
S56	374	((config\$6) with (access permission login) with (depend\$6)) same (user name)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:15
S57	58	((config\$6) with (access permission login) with (depend\$6)) same (user name))) and (router)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:15
S58	15	S57 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:15

S59	39	((router near2 config\$6) with (access permission login) with (depend\$6 based))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:18
S60	5	S59 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:18
S61	136	((router near2 config\$6) same ((access permit\$6 permission) with (login (logged near21 in) username user\$6)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:22
S62	30	S61 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:22
S63	138	((router near2 config\$6) same ((access permit\$6 permission) with (login (logged near21 in) username user\$6 admin\$6)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:26
S64	138	((router near2 config\$6) same ((access permit\$6 permission) with (login (logged near2 in) username user\$6 admin\$6)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:27
S65	30	S64 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:27
S66	135	((router near2 config\$6) same ((access permit\$6 permission) with (user)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:28
S67	30	S66 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:28
S68	18391	((config\$6) with ((access permit\$6 permission) with (user)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:29
S69	139	(router with (config\$6) with ((access permit\$6 permission) with (user)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:29
S70	49	S69 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:30

S71	2785	(router with ((access permit \$6 authenticat\$6 permission) with (user\$6)))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:33
S72	146	(router with (configuration) with ((access permit\$6 authenticat\$6 permission) with (user\$6)))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:33
S73	34	S72 and (@ad<"20001201" @rlad<"20001201")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:33
S74	149	(router with (configuration) with ((access permit\$6 privilege\$6 authenticat\$6 permission) with (user\$6)))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:39
S75	34	S74 and (@ad<"20001201" @rlad<"20001201")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:39

11/ 24/ 08 8:15:43 AM

C:\ Documents and Settings\tduong7\ My Documents\ EAST\ Workspaces\ 09734324U3 -
Comparing configuration information for a data forwarding device.wsp